



Revo 3.3 Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically. TBA: Check www.Traxxas.com to download latest parts list and pricing

Model 5309 REV 060303

Air Filters

5264	Air filter housing/ foam insert/ Revo air filter base (angled)/ cable tie (1-each) (TRX 2.5, 2.5R, 3.3).....	12.00
5261	Air filter inserts, foam (3) (pre-oiled) (TRX 2.5, 2.5R, 3.3)	6.25
5263	Oil, air filter	4.99

Bearings & Bushings

4609	Ball bearings (5x10x4mm) (2) (metal shielded, for clutch bell)	8.00
4611	Ball bearings (5x11x4mm) (2) (metal shielded, for clutch bell)	6.00
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	7.00
5115	Ball bearings, blue rubber sealed (5x10x4mm) (2)	3.50
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3.50
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	4.00
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)	4.00
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)	6.00
5120	Ball bearings, blue rubber shield (12x18x4mm) (2)	8.00
5121	Bearing, needle roller (6x10x8mm) (2).....	8.00
2545	Bushings (plastic) (5x8x2.5mm) (4)	3.00

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool	2.00
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1).....	1.00
1834	Body clips (12) (standard size)	2.00
3934	Body clips, heavy-duty (12)	3.00
5314	Body mounts, front & rear/ body mount posts, front & rear/ 2.5x18mm screw pins (4)/ 4x10mm BCS (1)	11.00
4915	Body washers, foam adhesive (10).....	2.00
5312	Body, Revo 3.3 (extended chassis) (clear, requires painting)/ window, grill, lights decal sheet	25.00
5312X	Body, Revo 3.3 (extended chassis), ProGraphix (replacement for painted body. Graphics are painted-requires paint and final color application)/ window, grill, lights decal sheet	34.99
5313X	Decal set, Revo 3.3 (Revo logos and graphics decal sheet)	6.00
2514	Decal sheet, racing sponsors	3.00
9950	Official Team Traxxas racing decal set (flag logo/ 6-color)	4.50

Brake Components

5388	Brake cam (1)/ sleeve (1)	4.50
5364	Brake disc (40mm steel)	2.50
5364X	Brake disc (high-performance, vented)	TBA
5564	Brake disc (semi-metallic material) (replacement disc for Revo rear brake kit)	4.00
5565X	Brake disc hub (for Revo rear brake kit)/ 2mm pin (1)/ Brake pads (3)	8.00
5417	Brake kit, rear (dual-disc Revo) (Requires center differential part 5414 and gearbox housing 5391X)	19.00
5365	Brake pad set (inner and outer calipers with bonded friction material)	7.50
5418	Linkage set, rear brake (Revo) (Includes: brake lever/ rod (wire)/ brake spring/ brake adjustment dial/ rod guide bushing/ screw collar)	5.00
5368	Linkage set, throttle & brake, Revo (includes servo horns, rod guides, brake spring, brake adjustment dial, brake lever, rods (wires), bellcrank, throttle return spring, hardware)	8.00
4978	Screws, 3x21mm button-head machine (hex drive) (partially threaded, Revo brake bolts) (6)	2.50
5457	Yoke, brake (1)/ torque pins (2)/ 4x15mm screw pin	4.00

Bumpers & Skidplates

5335	Bumper, front/ Bumper mount, front/ 4x10mm BCS (2)/ 3x25mm BCS (2).....	7.50
5336	Bumper, rear/ Bumper mount, rear/ 4x10mm BCS (2)/ 3x25mm BCS (2).....	7.50
5315	Guards, steering servo (2)	4.00
5316	Roll hoop, plastic/ transmission skid guard, plastic	8.50
5337	Skid plate set, front (2 pieces, plastic)/ skid plate, rear (1 piece, plastic)	8.00

Chassis & Attachments

5314	Body mounts, front & rear/ body mount posts, front & rear/ 2.5x18mm screw pins (4)/ 4x10mm BCS (1)	11.00
5323	Bulkhead tie bars, front & rear (blue-anodized aluminum)	9.50
5330	Bulkhead, front (L&R halves)/ diff retainer/ 4x14mm BCS (4)	15.00
5329	Bulkhead, rear (L&R halves)/ diff retainer, rear/ 4x14mm BCS (4)	15.00
5361	Chassis Brace, Revo (3mm 6061-T6 aluminum) (blue-anodized)/ 4x16mm BCS	10.00
5322	Chassis, Revo (standard length) (3mm 6061-T6 aluminum) (anodized blue)	50.00
5322X	Chassis, Revo 3.3 (extended 30mm) (3mm 6061-T6 aluminum) (anodized blue)	60.00
5157	Cover plates and seals, forward only conversion (Revo) (OptiDrive™ blank-out plate, OptiDrive sensor cover, shift fork cover)	2.50
5325X	Electronics box, left/ box cover	5.75
5324	Electronics box, right/ box cover/ charge jack plug (rubber)/ foam padding and adhesive	8.25
5315	Guards, steering servo (2)	4.00

Chassis & Attachments continued...

5326	Servo mounts, steering (2)	3.00
5317	Shock mounts (front & rear)/ wire clip (1)/ chassis wire clips (4)/ 3x32mm CS (4)/ 3x6mm BCS (1)	6.00
5337	Skid plate set, front (2 pieces, plastic)/ skid plate, rear (1 piece, plastic)	8.00

Clutch & Related Parts

4609	Ball bearings (5x10x4mm) (2)	8.00
4611	Ball bearings (5x11x4mm) (2)	6.00
5214	Clutch bell (14-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x10x4mm ball bearings part #4609) (1.0 metric pitch)	12.00
5215	Clutch bell (15-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)	12.00
5216	Clutch bell (16-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)	12.00
5217	Clutch bell (17-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)	12.00
4146X	Clutch shoes (2)/ spring (T-Maxx/Revo/Jato)	7.75
3281	Cone, split beveled	3.00
1633	E-clips/ C-rings	2.00
4142	Flywheel (N. Rustler/Sport/Stampede/T-Maxx/Revo/Jato)	7.50
5244	Flywheel nut (TRX 2.5, 2.5R, 3.3)	4.25
4142X	Flywheel, (larger, knurled for use with starter boxes) (TRX 2.5, 2.5R, 3.3) (silver-anodized)	10.00
1985	Teflon® washers, 5x8x0.5mm (20) (use with ball bearings)	2.00

Differential Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	7.00
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)	4.00
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)	6.00
5417	Brake kit, rear (dual-disc Revo) (Requires center differential part 5414 and gearbox housing 5391X)	19.00
5481X	Carrier, differential (for Revo) (assembled with all internal gears, oil, and gaskets)	26.00
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW.....	4.25
5414	Differential kit, center (Complete for Revo) (assembled with 100K oil) Includes forward-only conversion	29.00
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights).....	31.00
5382	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft)	12.00
5414X	Gear, center differential (Revo)/ X-ring seals (2)/ gasket (1) (Replacement gear for 5414)	4.00
5416	Gear, differential output (Revo center diff, front or rear without rear brake kit (5417))	6.00
5415	Gear, differential output (Revo center diff, rear with rear brake kit (5417)).....	7.50
5380	Housings, differential (front & rear) (1)	4.00
5130	Oil, differential (100K weight) (.7 oz (20cc)).....	TBA
5135	Oil, differential (10K weight)	7.50
5136	Oil, differential (30K weight)	7.50
5137	Oil, differential (50K weight).....	7.50
5379X	Ring gear, differential/ pinion gear, differential	15.00
5381X	Spool, differential (eliminates differential. Use off-road only) (Requires #5379X ring gear)	12.00

Driveline Components

5334	Axle carriers, left & right (1 each)	8.00
5459	Boots, driveshaft (rubber) (2)	2.50
5451X	Driveshaft assembly (1), left or right (fully assembled, ready to install)/ 4x15mm screw pin (1)	12.00
5450	Half shaft set, left or right (plastic parts only) (internal splined half shaft/ external splined half shaft/ rubber boot) (assembled with glued boot) (2 assemblies)	7.50
5455	Half shafts, center front (internal splined (1)/ external splined (1)/ center rear (internal splined (1)/ external splined (1)) (plastic parts only)	4.25
5456	Half shafts, center front (Revo 3.3) (internal splined (1)/ external splined (1)/ center rear (internal splined (1)/ external splined (1)) (plastic parts only)	4.25
4954	Hex wheel hubs (2)/ axle pins (2.5x12mm) (2).....	2.50
4954X	Hex wheel hubs, 6061-T6 aluminum (blue) (4)/ axle pins (2.5x10mm) (4)	20.00
4955	Pins, axle (2.5x12mm) (4).....	1.00
5145	Screw pin, 4x15mm (6)	3.50
5454	Stub axle (steel) (2)	5.00
5452	U-joints, driveshaft (carrier (4)/ 4.5mm cross pin (4)/ 3mm cross pin (4)/ e-clips (20)) (metal parts for 2 driveshafts)	10.00
5457	Yoke, brake (1)/ torque pins (2)/ 4x15mm screw pin	4.00
5458	Yokes, differential and transmission (2)/ 4x15mm screw pins (2).....	4.00
5453	Yokes, stub axle (2)/ pins (2)	4.00

Engine & Servo Mounts

5360X	Big block Installation kit (engine mount and required hardware)	55.00
5361	Chassis Brace, Revo (3mm 6061-T6 aluminum) (blue-anodized)/ 4x16mm BCS	10.00
5360	Engine mount (complete assembly)/ 3x28mm CS with washers (2)/ 3x10 CS with washers (10).....	19.00
5326	Servo mounts, steering (2)	3.00

Page 2 Revo 3.3 Parts List

Engine Components

5238R	Cooling head, PowerTune (machined aluminum, blue-anodized) (TRX 3.3), head protector (1), 3x6mm CCS (5)	45.00
5270R	EZ-Start 2, complete system with controller, drive unit, wiring harness	50.00
3980	Glow plug wrench (universal wrench)	2.00
3231	Glow plug, heavy-duty (long-medium)	4.50
3232	Glow plug, super-duty (long-medium)	4.50
5228	Head protector, cooling head (1)/3x6mm CCS (5) (TRX 3.3)	3.00
5290	Piston/Sleeve (matched set), Wrist Pin Clips(2) (TRX 3.3)	80.00
5211R	Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 2.5R, 3.3)	22.50
5277	Shaft, starter (TRX 2.5, 2.5R, 3.3)	9.00
5170	Starter, recoil (complete with screws) (TRX 2.5, 2.5R, 3.3)	20.00
4091	Temp gauge, blue (on-board engine tuning aid, digital LCD readout, new style with max. temp. memory)	24.99

Exhaust

3155	Cable ties, medium (black) (6)	2.25
4085	Hanger wire, universal (6-inches, cut and bend to suit)	1.25
5346	Hanger, metal wire (for tuned pipe)/ 4mm GS (1)/ 4x10 BCS (1)	2.00
5340	Header, exhaust (tubular aluminum, silver-anodized) (TRX 2.5, 2.5R, 3.3)	20.00
5256	O-ring, header (12.2x1mm) (TRX 2.5, 2.5R, 3.3)	1.20
5245X	Pipe coupler, molded (black)/ exhaust deflector (rubber, black)/ cable ties, long (2)/ cable ties, short (2)	4.00
5245	Pipe coupler, molded (blue)/ exhaust deflector (rubber, blue)/ cable ties, long (2)/ cable ties, short (2)	4.00
5142	Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6)	2.75
5342	Tuned pipe, aluminum, blue-anodized (dual chamber with pressure fitting)/ 4mm GS	46.00
5490	Tuned pipe, Resonator, R.O.A.R. legal (single-chamber, enhances low to mid-rpm power) (for Revo with TRX Racing Engines)	50.00

EZ-Start & Related Parts

4579X	Connector, wiring harness (EZ-Start and EZ-Start 2)	5.00
5280	Control box (complete) (EZ-Start 2)	15.00
5281	Control box battery cover w/ belt clip (EZ-Start 2)	4.00
5273	Cush-drive elements (4) (EZ-Start 2)	2.50
5270R	EZ-Start 2, complete system with controller, drive unit, wiring harness	50.00
5276	Gear set (complete) (EZ-Start 2)	9.00
5148	Grease, white lithium	3.00
5275	Housing set (inner, outer)/ 3x12mmBCS (5)/ 3x20BCS (1)/ motor bushing (EZ-Start 2)	7.50
4581X	Lead wire, glow plug (blue) (EZ-Start and EZ-Start 2)/ molex pin extractor (use where glow plug wire does not have bullet connector)	1.75
5279	Motor/ pinion gear/ motor bushing (EZ-Start 2)	15.00
5211R	Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 2.5R, 3.3)	22.50
5169	Screws, 2.6x8mm countersunk machine (6)	2.00
5282	Screws, 3x12mm button-head machine (6) (starter attachment screws with threadlock)	3.00
2578	Screws, 3x12mm button-head machine (hex drive) (6)	2.50
5277	Shaft, starter (TRX 2.5, 2.5R, 3.3)	9.00
5317	Wire clips, chassis (4)/ wire clip (1)/ shock mounts (front & rear)/ 3x32mm CS (4)	6.00

Front Suspension

5334	Axle carriers, left & right (1 each)	8.00
5323	Bulkhead tie bars, front & rear (blue-anodized aluminum)	9.50
5330	Bulkhead, front (L&R halves)/ diff retainer/ 4x14mm BCS (4)	15.00
5134	Caster spacers (4)/ shims (4)	3.00
5339	Insert, threaded steel (replacement inserts for Tubes, part 5338R) (includes (1) left and (1) right threaded insert)	5.00
5378	Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers (4) (2 pkgs. req. to complete truck)	6.75
4933	Pivot balls (4)/ pivot ball cap bushings (4)	6.00
4933X	Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)	20.00
5319X	Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive-3 rockers)	10.00
5318X	Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)	10.00
5319	Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive-3 rockers)	7.00
5318	Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)	7.00
5354X	Rocker arm post (aluminum) (4)	12.50
5354	Rocker arm post (steel) (2)	3.25
5356	Rocker arm set, long travel (120-T) (use with #5318 or #5318X pushrod)	8.00
5357	Rocker arm set, progressive-1 (90-T) (use with #5318 or #5318X pushrod)	8.00
5358	Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)	11.00
5359	Rocker arm set, progressive-3 (90-T) (requires pushrods part #5319 or 5319X)	8.00
5133	Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive-2 rockers) (8)	5.00
5332	Suspension arm upper (1)/ suspension arm lower (1) (left front)	7.50
5331	Suspension arms upper (1)/ suspension arm lower (1) (right front)	7.50
5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)	4.75
5338	Toe link, 5.0mm steel (front or rear) (2)	10.00
5338R	Toe link, Revo (red-anodized, 7075-T6 aluminum hollow tube, 128mm, stronger than titanium(2)/ rod end, rear (4)/ rod end, front (4) aluminum wrench (1) (fits front or rear)	25.00

Fuel Tank & Line

3935	Body clip (mounting clip), angled, 90-degrees (10)	3.00
3147X	Fuel line (610mm or 2ft)	3.50
5363	Fuel tank (complete)	16.00
3149A	Heat shield tubing, fiberglass (2) (black)	1.50
3149	Heat shield tubing, fiberglass (2) (yellow)	1.50
5362	O-ring, fuel tank cap (Revo) (2)	2.00
5367	Pull ring, fuel tank cap (1)/ engine shut-off clamp (1)	3.00
5376	Rebuild kit, fuel tank (includes: mounting post, grommets (2), tank guard, mounting clips (2), cap o-ring, cap o-ring retainer, cap pull ring, spring, hardware)	5.00

Fuel, Lubricants & Supplies

5001	Bottle, fuel filler (500cc)	8.00
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)	21.00
3231	Glow plug, heavy-duty (long-medium)	4.50
3232	Glow plug, super-duty (long-medium)	4.50
3230	Glow plug, standard (long-hot)	4.00
5148	Grease, white lithium	3.00
5263	Oil, air filter	4.99
5130	Oil, differential (100K weight) (.7 oz (20cc))	TBA
5135	Oil, differential (10K weight)	7.50
5136	Oil, differential (30K weight)	7.50
5137	Oil, differential (50K weight)	7.50
1666	Silicone shock oil (30 wt)	2.00
5010	Top Fuel, 10% nitro (quart)	10.25
5020	Top Fuel, 20% nitro (quart)	11.99
5030	Top Fuel, 33% nitro (quart)	13.99

Hardware

3935	Body clip (mounting clip), angled, 90-degrees (10)	3.00
1834	Body clips (12) (standard size)	2.00
3934	Body clips, heavy-duty (12)	3.00
3182	Collars, screw (2)/ grub screws, 3mm (2)	2.50
5150	E-clips, 2mm (24)	1.50
5477	Flat wrench, 5mm (blue-anodized aluminum)	4.00
5478	Flat wrench, 8mm (blue-anodized aluminum)	4.00
3980	Glow plug wrench (universal wrench)	2.00
2586	Head screws, 3x15mm cap-head machine (hex drive) (6) (TRX 2.5)	2.50
5476	Hex wrenches; 1.5mm, 2mm, 2.5mm, 2.5 ball	6.00
5475	Multi-tool (plastic)	2.50
5158	Nuts, 2.5mm nylon locking (12)	2.50
2745	Nuts, 3mm nylon locking (12)	2.00
4147X	Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4)	6.00
5147	Nuts, 5mm flanged nylon locking (steel) (8)	3.25
4147	Nuts, 5mm nylon locking (8)	2.00
4987	Rings, retainer (snap rings) (14mm) (2)	2.00
5144	Screw pin, 2.5x18mm (6)	1.50
5145	Screw pin, 4x15mm (6)	3.50
3236	Screws, 2.5x12mm cap-head machine (6)	2.50
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)	2.00
3965	Screws, 2.5x8mm cap-head machine (6)	2.50
5169	Screws, 2.6x8mm countersunk machine (6)	2.00
2674	Screws, 2x6mm roundhead self-tapping (6)	1.50
2577	Screws, 3x10mm button-head machine (hex drive) (6)	2.50
2587	Screws, 3x10mm cap-head machine (6) (no washer)	2.50
3159	Screws, 3x10mm cap-head machine (hex drive) (6)/ lockwashers (6)/ hex wrench	2.75
2551	Screws, 3x10mm countersunk machine (6) (hex drive)	2.50
5282	Screws, 3x12mm button-head machine (6) (starter attachment screws with threadlock)	3.00
2578	Screws, 3x12mm button-head machine (hex drive) (6)	2.50
2552	Screws, 3x12mm countersunk machine (6) (hex drive)	2.50
2579	Screws, 3x15mm button-head machine (hex drive) (6)	2.50
5142	Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6)	2.75
2553	Screws, 3x15mm countersunk machine (6) (hex drive)	2.50
2580	Screws, 3x20mm button-head machine (hex drive) (6)	2.50
4978	Screws, 3x21mm button-head machine (hex drive) (partially threaded, Revo brake bolts) (6)	2.50
2581	Screws, 3x25mm button-head machine (hex drive) (6)	2.50
3963	Screws, 3x28mm cap-head machine (hex drive) (6)/ 3x6mm ELW (6)	2.75
2582	Screws, 3x30mm button-head machine (hex drive) (6)	2.50
3964	Screws, 3x32mm cap-head machine (hex drive) (6)	2.50
2575	Screws, 3x6mm button-head machine (hex drive) (6)	2.50
2554	Screws, 3x6mm cap-head machine (hex drive) (6)	2.50
2576	Screws, 3x8mm button-head machine (hex drive) (6)	2.50
3936	Screws, 4x10mm button-head machine (hex drive) (6)	2.50
3937	Screws, 4x12mm button-head machine (hex drive) (6)	2.50
3938	Screws, 4x14mm button-head machine (hex drive) (6)	2.50
3933	Screws, 4x16 button-head machine (hex drive) (6)	2.50
3940	Screws, 4x4 button-head machine, aluminum (blue) (hex drive) (6)	3.50
3939	Screws, 4x6mm button-head machine (hex drive) (with threadlock) (6)	3.00
4897	Screws, set (grub) 4mm (6) (with threadlock)	3.00
2743	Set (grub) screws, 3mm hardened (12)	3.00
3966	Shoulder screws, 3x10mm (6) (with threadlock)	3.50
5133	Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive-2 rockers) (8)	5.00
3982	Washer, Teflon® 6x8x0.5 (10)	1.25

Manuals

5299R	Engine Manual, TRX 2.5, 2.5R, 3.3	7.50
5399X	Owners manual, Revo 3.3	9.00

Page 3 Revo 3.3 Parts List

Radio System, Batteries, Charger

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1).....	1.00
3036	Battery, RX Power Pack (5-cell flat style, GP cells, NiMH, 1100mAh)	30.00
2734	Cable ties (small) (10).....	2.00
2061	Case for micro servo.....	3.00
2010	Gear set (for 2018 servos)	4.00
2062	Gear set, micro servo	4.00
3031	Power adapter, AC (for TRX Power Charger) (switching type, auto power input selection 100-240VAC 50-60 HZ)	19.00
3032	Power adapter, DC (12V car adapter for TRX Power Charger)	7.50
2215	Receiver, 3-channel	30.00
2052	Servo case (for 2055 servo)	3.00
2046	Servo connector, Y adapter (for dual-servo steering).....	4.00
2053	Servo gears (for 2055 servo)	4.00
2055	Servo, high-torque	28.00
2060	Servo, micro	28.00
2018	Servo, standard.....	24.00
3030X	TRX Power Charger, peak detecting/ AC adapter (for charging NiCad or NiMH 5-cell receiver packs and 6-cell (7.2V) EZ-Start packs) (includes plug adapter for 7.2V packs).....	40.00
3035	Wiring harness for RX Power Pack, Revo (includes on/off switch and charge jack)	5.00

Recoil Starter

5277	Shaft, starter (TRX 2.5, 2.5R, 3.3)	9.00
5170	Starter, recoil (complete with screws) (TRX 2.5, 2.5R, 3.3)	20.00

Rear Suspension

5334	Axle carriers, left & right (1 each)	8.00
5323	Bulkhead tie bars, front & rear (blue-anodized aluminum)	9.50
5329	Bulkhead, rear (L&R halves)/ diff retainer, rear/ 4x14mm BCS (4)	15.00
5134	Caster spacers (4)/ shims (4)	3.00
5339	Insert, threaded steel (replacement inserts for Tubes," part 5338R) (includes (1) left and (1) right threaded insert).....	5.00
5378	Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers (4) (2 pkgs. req. to complete truck)	6.75
4933	Pivot balls (4)/ pivot ball cap bushings (4)	6.00
4933X	Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)	20.00
5319X	Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive-3 rockers).....	10.00
5318X	Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)	10.00
5319	Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive-3 rockers).....	7.00
5318	Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)	7.00
5354X	Rocker arm post (aluminum) (4)	12.50
5354	Rocker arm post (steel) (2)	3.25
5356	Rocker arm set, long travel (120-T) (use with #5318 or #5318X pushrod) ..	8.00
5357	Rocker arm set, progressive-1 (90-T) (use with #5318 or #5318X pushrod) ..	8.00
5358	Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)	11.00
5359	Rocker arm set, progressive-3 (90-T) (requires pushrods part #5319 or 5319X)	8.00
5348	Rod ends, Revo (large, for rear toe link only) (4)	2.00
5133	Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive-2 rockers) (8)	5.00
5333R	Suspension arm set, adjustable wheelbase (lengthens wheelbase 10mm or 19mm) (suspension arm upper (2)/ suspension arm lower (2)/ bumper mount spacers (2)/ 4x16BCS (2))	16.00
5333	Suspension arm upper (1)/ suspension arm lower (1) (rear, left or right) ..	7.50
5328	Suspension arms, adjustable wheelbase left side (upper arm (1)/ lower arm (1)).....	7.50
5327	Suspension arms, adjustable wheelbase right side (upper arm (1)/ lower arm (1)).....	7.50
5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)	4.75
5338R	Toe link, Revo (red-anodized, 7075-T6 aluminum hollow tube, 128mm, stronger than titanium)(2)/ rod end, rear (4)/ rod end, front (4)/ aluminum wrench (1) (fits front or rear).....	25.00

Shocks (GTR)

5466	Body, GTR shock (aluminum) (1)	8.00
5466X	Body, GTR shock (hard-anodized, Teflon®coated aluminum) (1)	10.00
5465	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (2)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))	5.00
5475	Multi-tool (plastic)	2.50
5158	Nuts, 2.5mm nylon locking (12)	2.50
5462	Rebuild kit, GTR shock (X-rings, bump stops, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks.....	5.00
5347	Rod ends, Revo (large) with hollow balls (12)	9.00
5463	Shaft, GTR shock (2) (stainless).....	6.00
5463T	Shaft, GTR shock TiN-coated (2)	10.00
5460	Shocks, GTR aluminum (assembled) (2) (without springs)	32.00
5460X	Shocks, GTR hard-anodized, Teflon®coated aluminum bodies with TiN shafts (assembled) (4).....	80.00
1666	Silicone shock oil (30 wt)	2.00

Slipper Clutch Components

5478	Flat wrench, 8mm (blue-anodized aluminum).....	4.00
5366	Input shaft, transmission (slipper shaft)	4.00
5352	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring washers (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL).....	7.50
2554	Screws, 3x6mm cap-head machine (hex drive) (6)	2.50
5351	Slipper pressure plate and hub (alloy)	8.00

Springs

5435	Spring, shock (GTR) (2.6 rate yellow) (1 pair)	6.00
5436	Spring, shock (GTR) (2.9 rate white) (std. front 90mm) (1 pair).....	6.00
5437	Spring, shock (GTR) (3.2 rate orange) (1 pair)	6.00
5438	Spring, shock (GTR) (3.5 rate green) (std. rear 90mm) (1 pair).....	6.00
5439	Spring, shock (GTR) (3.8 rate gold) (1 pair).....	6.00
5440	Spring, shock (GTR) (4.1 rate tan) (1 pair).....	6.00
5441	Spring, shock (GTR) (4.4 rate black) (1 pair)	6.00
5442	Spring, shock (GTR) (4.9 rate silver) (std. front 120mm) (1 pair).....	6.00
5443	Spring, shock (GTR) (5.4 rate pink) (1 pair)	6.00
5444	Spring, shock (GTR) (5.9 rate blue) (std. rear 120mm) (1 pair).....	6.00
5445	Spring, shock (GTR) (6.4 rate purple) (1 pair)	6.00

Spur Gears & Clutch Bells

5214	Clutch bell (14-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x10x4mm ball bearings part #4609) (1.0 metric pitch)	12.00
5215	Clutch bell (15-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)	12.00
5216	Clutch bell (16-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)	12.00
5217	Clutch bell (17-tooth)/5x8x0.5mm fiber washer (2)/ 5mm e-clip (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)	12.00
2554	Screws, 3x6mm cap-head machine (hex drive) (6)	2.50
3953	Spur gear, 36-tooth (1.0 metric pitch).....	3.00
3954	Spur gear, 38-tooth (1.0 metric pitch).....	3.00
3955	Spur gear, 40-tooth (1.0 metric pitch).....	3.00

Steering Components

5355X	Hollow ball set, aluminum Revo (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)	29.50
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)	4.75
5341	Linkage, steering (Revo 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)	3.50
5343	Mount, steering arm/ steering stop (lower hinge pin retainer)	3.50
5469	Rod Ends (GTR shocks) (6)	2.00
5347	Rod ends, Revo (large) with hollow balls (12)	9.00
5349	Rod ends, small, with hollow balls (6) (for Revo steering linkage)	4.00
5345	Servo horns (steering) (2)/ linkage, steering (3x20mm threaded rod) (2)/ rod ends (short) (4)/ hollow balls (4).....	6.75
5345X	Servo horns, steering and throttle (for non-Traxxas servos (Hitec, JR, KO, Airtronics))	10.00
5344X	Servo saver spring, heavy-duty (for use with metal-gear servos)	2.50
2055	Servo, high-torque	28.00
5338	Toe link, 5.0mm steel (front or rear) (2)	10.00

Suspension Linkage

5355X	Hollow ball set, aluminum Revo (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)	29.50
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)	4.75
5339	Insert, threaded steel (replacement inserts for Tubes," part 5338R) (includes (1) left and (1) right threaded insert).....	5.00
5341	Linkage, steering (Revo 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)	3.50
5319X	Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive-3 rockers)	10.00
5318X	Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)	10.00
5319	Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive-3 rockers)	7.00
5318	Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)	7.00
5469	Rod ends (GTR shocks) (6)	2.00
5347	Rod ends, Revo (large) with hollow balls (12)	9.00
5348	Rod ends, Revo (large, for rear toe link only) (4)	2.00
5345	Servo horns (steering) (2)/ linkage, steering (3x20mm threaded rod) (2)/ rod ends (short) (4)/ hollow balls (4).....	6.75
5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)	4.75
5338	Toe link, 5.0mm steel (front or rear) (2)	10.00
5338R	Toe link, Revo (red-anodized, 7075-T6 aluminum hollow tube, 128mm, stronger than titanium)(2)/ rod end, rear (4)/ rod end, front (4)/ aluminum wrench (1) (fits front or rear)	25.00

Page 4 Rev0 3.3 Parts List

Team Traxxas Items

2514	Decal sheet, racing sponsors	3.00
6160	DVD, Maxx Power! Full Throttle Action (2006)	12.99
9914	Maxx Book (By AirAge Publishing)	29.95
9950	Official Team Traxxas racing decal set(flag logo/ 6-color)	4.50
9946	T-Shirt, Large, T-Maxx King of Monsters	19.99
9945	T-Shirt, Med, T-Maxx King of Monsters	19.99
9947	T-Shirt, XL, T-Maxx King of Monsters	19.99
9948	T-Shirt, XXL, T-Maxx King of Monsters	19.99
9949	T-Shirt, XXXL, T-Maxx King of Monsters	19.99
9909	Traxxas racing banner, red & black (3x7 feet)	15.00

Throttle & Brake Linkage

5388	Brake cam (1)/ sleeve (1)	4.50
3182	Collars, screw (2)/ grub screws, 3mm (2)	2.50
5418	Linkage set, rear brake (Revo) (Includes: brake lever/ rod (wire)/ brake spring/ brake adjustment dial/ rod guide bushing/ screw collar)	5.00
5368	Linkage set, throttle & brake, Revo (includes servo horns, rod guides, brake spring, brake adjustment dial, brake lever, rods (wires), bellcrank, throttle return spring, hardware)	8.00
5392	Linkage, shift, Revo (includes: ball collar, spring, ball cup, servo horn, linkage wire)	3.50
5341	Linkage, steering (Revo 3.3) (3x50mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)	3.50
5345	Servo horns (steering) (2)/ linkage, steering (3x20mm threaded rod) (2)/ rod ends (short) (4)/ hollow balls (4)	6.75
5345X	Servo horns, steering and throttle (for non-Traxxas servos (Hitec, JR, KO, Airtronics))	10.00
3966	Shoulder screws, 3x10mm (6) (with threadlock)	3.50
4046	Spring, throttle return (2) (Revo)	2.50

Tires & Wheels

4954	Hex wheel hubs (2)/ axle pins (2.5x12mm) (2)	2.50
4954X	Hex wheel hubs, 6061-T6 aluminum (blue) (4)/ axle pins (2.5x10mm) (4)	20.00
4147X	Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4)	6.00
5147	Nuts, 5mm flanged nylon locking (steel) (8)	3.25
4955	Pins, axle (2.5x12mm) (4)	1.00
5374	Tires & wheels, assembled, glued (Gemini chrome wheels, Talon tires, foam inserts) (2) (also fits Maxx series)	39.00
5174	Tires & wheels, assembled, glued (SS (Split Spoke) chrome wheels, Talon tires, foam inserts) (2) (fits Maxx/Revo series)	39.00
5471	Tires, Response racing 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)	30.00
5470	Tires, SportTraxx racing 3.8" (soft compound, directional and asymmetrical tread design)/ foam inserts (2)	35.00
5171	Tires, T-Maxx 3.8" (2) (fits Revo/Maxx series)	30.00
5370	Tires, Talon 3.8" (2)/ foam inserts (2)	30.00
5372	Wheels, Gemini 3.8" (chrome) (2) (also fits Maxx series)	11.00
5373	Wheels, Hurricane 3.8" (chrome) (2) (also fits Maxx series)	11.00
5172X	Wheels, SS (split spoke) 3.8" (chrome) (2) (fits Revo/Maxx series)	11.00
5172	Wheels, SS (split spoke) 3.8" (satin) (2) (fits Revo/Maxx series)	11.00

Transmission Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	7.00
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3.50
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)	4.00
5388	Brake cam (1)/ sleeve (1)	4.50
5157	Cover plates and seals, forward only conversion (Revo) (OptiDrive™ blank-out plate, OptiDrive sensor cover, shift fork cover)	2.50
5414	Differential kit, center (Complete for Revo) (assembled with 100K oil) Includes forward-only conversion	39.00
5394X	Forward only conversion kit (eliminates reverse)	12.50
5383	Gear set, 2-speed close ratio (2nd speed gear 40T, 13T-16T input gears, hardware)	7.50
5385	Gear set, 2-speed standard ratio (2nd speed gear 39T, 13T-17T input gears, hardware)	7.50
5384	Gear set, 2-speed wide ratio (2nd speed gear 38T, 13T-18T input gears, hardware)	7.50
5386	Gear, 1st speed, 43T	3.00
5414X	Gear, center differential (Revo)/ X-ring seals (2)/ gasket (1) (Replacement gear for 5414)	4.00
5416	Gear, differential output (Revo center diff, front or rear without rear brake kit (5417))	6.00
5415	Gear, differential output (Revo center diff, rear with rear brake kit (5417))	7.50
5377	Gear, idler/ idler gear support/ bearing (pressed in)	6.00
5391X	Gearbox halves (front & rear)/ rubber access plug/ shift detent ball/ spring/ 4mm GS/ shift shaft seal, glued	10.00
5366	Input shaft, transmission (slipper shaft)	4.00
5368	Linkage set, throttle & brake, Revo (includes servo horns, rod guides, brake spring, brake adjustment dial, brake lever, rods (wires), bellcrank, throttle return spring, hardware)	8.00
5392	Linkage, shift, Revo (includes: ball collar, spring, ball cup, servo horn, linkage wire)	3.50
5398	OptiDrive electronic shift module	30.00
5397	OptiDrive sensor assembly/ 2.5x6mm CS (2)	8.00

Transmission Components continued...

5395	Output gears, forward & reverse/ drive dog carrier	9.00
5369	Output shaft, transmission	7.50
5390	Primary clutch assembly/ 2x9.8mm pin/ 6x8x0.5 TW (1)	14.00
5396X	Primary gears, forward and reverse/ screw pin (1)	6.00
5393	Primary shaft/ 1st speed hub/ one-way bearing/ snap ring/ 5x8mm TW	26.00
5389	Shift fork/ shaft/ seal	6.00
3982	Washer, Teflon® 6x8x0.5 (10)	1.25

Turnbuckles & Threaded rods

5477	Flat wrench, 5mm (blue-anodized aluminum)	4.00
5339	Insert, threaded steel (replacement inserts for Tubes™ part 5338R) (includes (1) left and (1) right threaded insert)	5.00
5341	Linkage, steering (Revo 3.3) (3x50mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)	3.50
5319X	Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive-3 rockers)	10.00
5318X	Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)	10.00
5319	Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive-3 rockers)	7.00
5318	Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)	7.00
5338	Toe link, 5.0mm steel (front or rear) (2)	10.00
5338R	Toe link, Revo (red-anodized, 7075-T6 aluminum hollow tube, 128mm, stronger than titanium)(2)/ rod end, rear (4)/ rod end, front (4)/ aluminum wrench (1) (Fits front or rear)	25.00

Two-Speed Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	7.00
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3.50
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)	4.00
5383	Gear set, 2-speed close ratio (2nd speed gear 40T, 13T-16T input gears, hardware)	7.50
5385	Gear set, 2-speed standard ratio (2nd speed gear 39T, 13T-17T input gears, hardware)	7.50
5384	Gear set, 2-speed wide ratio (2nd speed gear 38T, 13T-18T input gears, hardware)	7.50
5386	Gear, 1st speed, 43T	3.00
5390	Primary clutch assembly/ 2x9.8mm pin/ 6x8x0.5 TW (1)	14.00
5396X	Primary gears, forward and reverse/ screw pin (1)	6.00
5393	Primary shaft/ 1st speed hub/ one-way bearing/ snap ring/ 5x8mm TW	26.00

See Radio System parts list for electronic components.

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-265-8000, or fax to 972-265-8011
e-mail Traxxas at support@Traxxas.com

WWW.TRAXXAS.COM

Prices are in US Dollars